

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 1/13
(30702757/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT Fendona Pressurized Insecticide

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1, CANADA

Contact address:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932
USA
Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 620729
EPA Registration number: 499-569
Synonyms: Alphacypermethrin

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Asp. Tox.	1	Aspiration hazard
Skin Corr./Irrit.	2	Skin corrosion/irritation
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 2/13
(30702757/SDS_CPA_US/EN)

Flam. Aerosol

2

Flammable aerosols

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H223	Flammable aerosol.
H315	Causes skin irritation.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P331	Do NOT induce vomiting.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Hazards not otherwise classified

Labeling of special preparations (GHS):

May cause paraesthesia. Contains: alpha-Cypermethrin
Contains: 97 % m/m flammable components 2-Propanol, Distillates, petroleum

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

alpha-Cypermethrin
CAS Number: 67375-30-8

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 3/13
(30702757/SDS_CPA_US/EN)

Content (W/W): 0.05 %
Synonym: No data available.

2-Propanol

CAS Number: 67-63-0
Content (W/W): 10.0 - 15.0%
Synonym: Isopropyl alcohol

Distillates, petroleum

CAS Number: 64742-47-8
Content (W/W): 75.0 - 100.0%
Synonym: Distillates, petroleum, hydrotreated light

carbon dioxide

CAS Number: 124-38-9
Content (W/W): < 5.0%
Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Do not give solids or liquids. Do not induce vomiting due to aspiration hazard. Immediate medical attention required. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 4/13
(30702757/SDS_CPA_US/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, hydrogen bromide, Hydrogen chloride, hydrogen fluoride, nitrogen oxides, halogenated compounds
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 5/13
(30702757/SDS_CPA_US/EN)

controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

2-Propanol	ACGIH, US:	STEL value 400 ppm ;
	ACGIH, US:	TWA value 200 ppm ;
	NIOSH, US:	STEL value 500 ppm 1,225 mg/m3 ;
	NIOSH, US:	REL value 400 ppm 980 mg/m3 ;
	OSHA Z1:	PEL 400 ppm 980 mg/m3 ;
	OSHA Z1A:	STEL value 500 ppm 1,225 mg/m3 ;
	OSHA Z1A:	TWA value 400 ppm 980 mg/m3 ;
carbon dioxide	ACGIH, US:	TWA value 5,000 ppm ;
	ACGIH, US:	STEL value 30,000 ppm ;
	NIOSH, US:	REL value 5,000 ppm 9,000 mg/m3 ;
	NIOSH, US:	STEL value 30,000 ppm 54,000 mg/m3 ;
	OSHA Z1:	PEL 5,000 ppm 9,000 mg/m3 ;
	OSHA Z1A:	TWA value 10,000 ppm 18,000 mg/m3 ;
	OSHA Z1A:	STEL value 30,000 ppm 54,000 mg/m3 ;

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 6/13
(30702757/SDS_CPA_US/EN)

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	of isopropanol	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	pale yellow, clear	
pH value:	approx. 6 - 8 (approx. 20 °C)	
Melting point:	-33 °C	
Boiling point:	Information applies to the solvent. 221 - 271 °C (1,013.25 hPa)	
Flash point:	Information applies to the solvent. 11.7 °C	
Information on: 2-Propanol	Information applies to the solvent.	
Flash point:	11.7 °C Literature data.	
Information on: Distillates, petroleum		
Flash point:	73 °C Literature data.	(ASTM D93, closed cup)
Flammability:	Flammable.	
Ignition distance test for spray aerosols:	> 14 in no flashback	
NFPA 30B flammability:	Level 3 Aerosol	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Autoignition:	247 °C Information applies to the solvent.	

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 7/13
(30702757/SDS_CPA_US/EN)

Vapour pressure:	approx. 9 Pa (20 °C)	(ASTM D323)
Density:	Information applies to the solvent. approx. 0.79 g/cm ³ (approx. 20 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	approx. 1.55 mPa.s (40 °C)	
Solubility in water:	insoluble	
Evaporation rate:	not applicable	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16

Version: 5.0

Page: 8/13

(30702757/SDS_CPA_US/EN)

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50

Species: rat (female)

Value: > 5,000 mg/kg (OECD Guideline 425)

No mortality was observed.

Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 5.1 mg/l (OECD Guideline 403)

No mortality was observed.

Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Skin contact causes irritation.

Skin

Species: rabbit

Result: moderately irritating

Method: OECD Guideline 404

Eye

Species: rabbit

Result: non-irritant

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Buehler test

Species: guinea pig

Result: Non-sensitizing.

Method: similar to OECD guideline 406

Aspiration Hazard

The product has not been tested. The statement has been derived from the properties of the individual components. May also damage the lung at swallowing (aspiration hazard).

Chronic Toxicity/Effects

Repeated dose toxicity

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 9/13
(30702757/SDS_CPA_US/EN)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Information on: 2-Propanol

Assessment of repeated dose toxicity: No adverse effects were observed after repeated inhalative exposure in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses.

Information on: carbon dioxide

Assessment of repeated dose toxicity: Prolonged or repeated exposure by inhalation to high concentrations may cause circulatory insufficiency leading to headache, nausea, vomiting and potentially death.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Distillates, petroleum

Assessment of carcinogenicity: Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Has a degreasing effect on skin.
Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 10/13
(30702757/SDS_CPA_US/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: *alpha-cypermethrin*
LC50 (96 h) 0.00093 mg/l, *Pimephales promelas* (OPP 72-1 (EPA-Guideline), Flow through.)

Aquatic invertebrates

Information on: *alpha-cypermethrin*
EC50 (48 h) 12,6 ng/l, *Chironomus riparius*

Aquatic plants

Information on: *alpha-cypermethrin*
EC50 (7 d) > 0.00139 mg/l (growth rate), *Lemna gibba* (OECD Guideline 201)
No observed effect concentration (7 d) > 0.00139 mg/l (growth rate), *Lemna gibba* (OECD guideline 221, static)
EC50 (72 h) > 0.027 mg/l (growth rate), *Anabaena flos-aquae* (OECD Guideline 201)

Chronic toxicity to fish

Information on: *alpha-cypermethrin*
No observed effect concentration (34 d) 0,03 µg/L, *Pimephales promelas* (OPP 72-4 (EPA-Guideline), Flow through.)

Chronic toxicity to aquatic invertebrates

Information on: *alpha-cypermethrin*
No observed effect concentration (21 d) 0,03 µg/L, *Daphnia magna* (OPP 72-4 (EPA-Guideline), semistatic)

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: *alpha-cypermethrin*

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 11/13
(30702757/SDS_CPA_US/EN)

Information on: alpha-cypermethrin

Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Proper shipping name:	AEROSOLS

Sea transport

IMDG

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Marine pollutant:	YES
Proper shipping name:	AEROSOLS (contains PROPAN-2-OL, ALPHA-CYPERMETHRIN)

Air transport

IATA/ICAO

Hazard class:	2.1
ID number:	UN 1950

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16
Version: 5.0

Page: 12/13
(30702757/SDS_CPA_US/EN)

Hazard label: 2.1
Proper shipping name: AEROSOLS, FLAMMABLE

Further information

This product may be classified as limited quantity in selected package sizes.

15. Regulatory Information

Federal Regulations

Registration status:

Biocide TSCA, US released / exempt

crop protection product

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

<u>CAS Number</u>	<u>Chemical name</u>
67-63-0	2-Propanol

State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
NJ	67-63-0	2-Propanol
	124-38-9	carbon dioxide
	64742-47-8	Distillates, petroleum
PA	67-63-0	2-Propanol
	124-38-9	carbon dioxide
	64742-47-8	Distillates, petroleum

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Avoid contact with the skin, eyes and clothing.

Safety Data Sheet

PT Fendona Pressurized Insecticide

Revision date : 2021/03/16

Version: 5.0

Page: 13/13

(30702757/SDS_CPA_US/EN)

Wash thoroughly after handling.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2021/03/16

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET