

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Name : Precor Plus Fogger
 Synonyms : 100521159, EPA Reg. No.: 2724-454, Zoecon 9026 Fogger

1.2.

Recommended use : Insect growth regulator. Insecticide.
 Restrictions on use : Keep out of reach of children. Avoid all contact with skin, eyes, or clothing. Keep away from heat, sparks and flame. Use only outdoors or in a well-ventilated area. Do NOT take internally. Do not inhale.

1.3. Supplier

Wellmark International
 1501 E. Woodfield Road, Suite 200W
 Schaumburg, IL 60173 - United States
 www.zoecon.com

1.4. Emergency telephone number

Emergency number : 1-800-248-7763
 1-800-424-9300 - CHEMTREC
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification


Flammable aerosol Category 2
 Gases under pressure Compressed gas
 Skin corrosion/irritation Category 2
 Serious eye damage/eye irritation Category 2A
 Specific target organ toxicity — Single exposure, Category 3, Narcosis
 Aspiration hazard Category 1

Flammable aerosol
 Contains gas under pressure; may explode if heated
 Causes skin irritation
 Causes serious eye irritation
 May cause drowsiness or dizziness
 May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: Flammable aerosol
 Contains gas under pressure; may explode if heated
 May be fatal if swallowed and enters airways
 Causes skin irritation
 Causes serious eye irritation
 May cause drowsiness or dizziness

Precautionary statements (GHS US)

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Do not spray on an open flame or other ignition source.
 Pressurized container: Do not pierce or burn, even after use.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Wash hands, forearms and face thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Immediately call poison center or doctor.
 Do NOT induce vomiting.

Precor Plus Fogger

Safety Data Sheet

IF ON SKIN: Wash with plenty of water.
If skin irritation occurs: Get medical advice/attention.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Call poison center or doctor if you feel unwell.
Take off contaminated clothing and wash it before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % |
|--|----------------------|---------|
| (s)-Methoprene Technical | (CAS-No.) 65733-16-6 | 0.09 |
| Permethrin | (CAS-No.) 52645-53-1 | 0.58 |
| Distillates (petroleum), hydrotreated light | (CAS-No.) 64742-47-8 | 10 |
| Propane | (CAS-No.) 74-98-6 | 17.29 |
| Butane | (CAS-No.) 106-97-8 | 17.29 |
| Non-hazardous and/or does not meet criteria for classification | (CAS-No.) N/A | Balance |

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician immediately. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Causes drowsiness and dizziness.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Aspiration Hazard - may be fatal if swallowed and enters airways.

4.3. Immediate medical attention and special treatment, if necessary

Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable aerosol. Pressurized container: may burst if heated.

Precor Plus Fogger

Safety Data Sheet

| | |
|------------------|--|
| Explosion hazard | : Pressurized container. At temperatures above 130°F, container may rupture. |
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |

5.3. Special protective equipment and precautions for fire-fighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Do not use direct stream of water. A direct stream of water may spread fire. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray. Move containers away from the fire area if this can be done without risk. Stay upwind. Do not allow fire fighting water to escape into waterways or sewers. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothing. Wear appropriate personal protective equipment, avoid direct contact. |
|----------------------|--|

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. For further information refer to section 8: Exposure controls/personal protection. |
| Emergency procedures | : Contents under pressure. At temperatures above 130°F, container may rupture. As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate unnecessary personnel. Turn off electric power to area. Stay upwind. Stop leak if safe to do so. Ventilate area. Wear appropriate personal protective equipment, avoid direct contact. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| Methods for cleaning up | : Keep away from fire, sparks, and heated surfaces. Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Use appropriate PPE. |
|-------------------------|---|

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing fumes. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|------------------------|--|
| Storage conditions | : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep cool. Keep from freezing. NFPA Aerosol Classification: Level 1. |
| Incompatible materials | : Heat, sparks, open flame. Strong oxidizers. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Distillates (petroleum), hydrotreated light (64742-47-8) | | |
|--|------------------|---|
| ACGIH | ACGIH OEL TWA | Absorbed through skin. 200 mg/m³, (as total hydrocarbon vapor) 8 hours. |
| Propane (74-98-6) | | |
| ACGIH | Remark (ACGIH) | Simple Asphyxiant |
| OSHA | OSHA PEL TWA [1] | 1800 mg/m³ |

Precor Plus Fogger

Safety Data Sheet

| Propane (74-98-6) | | |
|-------------------|----------------------|------------------------|
| OSHA | OSHA PEL TWA [2] | 1000 ppm |
| IDLH | IDLH [ppm] | 2100 ppm (10% LEL) |
| NIOSH | NIOSH REL TWA | 1800 mg/m ³ |
| NIOSH | NIOSH REL TWA [ppm] | 1000 ppm |
| Butane (106-97-8) | | |
| ACGIH | ACGIH OEL STEL [ppm] | 1000 ppm |
| NIOSH | NIOSH REL TWA | 1900 mg/m ³ |
| NIOSH | NIOSH REL TWA [ppm] | 800 ppm |

8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear chemical-resistant gloves - barrier laminate or butyl rubber => 14 mls

Eye protection:

Safety glasses

Skin and body protection:

Applicators and other handlers must wear long sleeved shirt and long pants, socks and shoes

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid (aerosol)

Appearance : Fine white mist aerosol

Color : White

Odor : No data available

Odor threshold : No data available

pH : No data available

Melting point : Not applicable

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Flammable aerosol

Vapor pressure : No data available

Relative vapor density at 20 °C : No data available

Relative density : 0.79 g/cc

Solubility : No data available

Partition coefficient n-octanol/water (Log Pow) : No data available

Precor Plus Fogger

Safety Data Sheet

| | |
|---------------------------|--|
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : Pressurized container: may burst if heated |
| Oxidizing properties | : Not applicable |
| Flame extension | : 0 in - No flashback |
| Heat of combustion | : 17.4 KJ/g |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards. Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition may occur when heated producing oxides of carbon and nitrogen, volatile hydrocarbon vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Precor Plus Fogger | |
|---------------------------------------|--|
| Vaporizer | Aerosol |
| (s)-Methoprene Technical (65733-16-6) | |
| LD50 oral rat | > 34000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| LC50 Inhalation - Rat | 5.19 mg/l/4h |
| Permethrin (52645-53-1) | |
| LD50 oral rat | adult female LD50 • 2280 mg/kg; adult male LD50 • 3580 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |
| LC50 Inhalation - Rat | 5.3 mg/l/4h |

| GHS-US Properties | Classification |
|--|------------------------------------|
| Acute toxicity (oral) | Not classified |
| Acute toxicity (dermal) | Not classified |
| Acute toxicity (inhalation) | Not classified |
| Skin corrosion/irritation | Causes skin irritation. |
| Serious eye damage/irritation | Causes serious eye irritation. |
| Respiratory or skin sensitization | Not classified |
| Germ cell mutagenicity | Not classified |
| Carcinogenicity | Not classified |
| Reproductive toxicity | Not classified |
| Specific target organ toxicity (single exposure) | May cause drowsiness or dizziness. |

Precor Plus Fogger

Safety Data Sheet

| | |
|--|---|
| Specific target organ toxicity (repeated exposure) | Not classified |
| Aspiration hazard | May be fatal if swallowed and enters airways. |

Potential health effects

Inhalation

Acute : May cause drowsiness and dizziness. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.

Skin

Acute : Causes skin irritation.

Eye

Acute : Causes eye irritation.

Ingestion

Acute : Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

Mutagenicity : (s)-Methoprene has been tested and found negative for mutagenicity potential. Permethrin was not mutagenic in a battery of in vitro and in vivo tests.

Carcinogenicity : (s)-Methoprene is not classified as a carcinogen by NTP, IARC or OSHA. Permethrin is not classified as carcinogen by NTP, IARC and OSHA.

Reproductive Effects : (s)-Methoprene is not a reproductive toxin and does not cause birth defects. Permethrin does not cause birth defects or adverse effects on reproduction.

SECTION 12: Ecological information

12.1. Toxicity

| (s)-Methoprene Technical (65733-16-6) | |
|---------------------------------------|--|
| LC50 Acute fish 1 | 0.76 mg/l (Exposure time: 96hr Oncorhynchus mykiss) |
| LC50 Acute fish 2 | > 0.37 mg/l (Exposure time: 96h - Blue gill) |
| LC50 Acute crustacea 1 | 0.11 mg/l (Exposure time: 96h - Mysid shrimp) |
| LC50 Acute crustacea 2 | 0.36 mg/l (Exposure time: 48h Daphnia) |
| NOEC Chronic fish 1 | 0.048 mg/l (Fathead minnow) |
| NOEC Chronic crustacea 1 | 0.014 mg/l (Mysid shrimp) |
| Permethrin (52645-53-1) | |
| LC50 Acute fish 1 | 0.00079 mg/l (Exposure time: 96h - Blue gill) |
| LC50 Acute fish 2 | 0.0022 mg/l (Exposure time: 96h - Atlantic silverside) |
| LC50 Acute crustacea 1 | 0.000019 mg/l (Exposure time: 96h - Mysid shrimp) |
| LC50 Acute crustacea 2 | 0.0001 mg/l (Hexagenia bilineata) |
| NOEC Chronic fish 1 | 0.0003 mg/l |
| NOEC Chronic fish 2 | 0.00083 mg/l (Sheepshead minnow) |
| NOEC Chronic crustacea 1 | 0.000039 mg/l (Daphnia magna) |
| NOEC Chronic crustacea 2 | 0.000011 mg/l (Mysid shrimp) |

12.2. Persistence and degradability

| (s)-Methoprene Technical (65733-16-6) | |
|---------------------------------------|--|
| Persistence and degradability | (s)-Methoprene degrades rapidly in sunlight, both in water and on inert surfaces. The pesticide also is metabolized rapidly in soil and does not leach. Thus, it should not persist in soil or contaminate ground water. |
| Permethrin (52645-53-1) | |
| Persistence and degradability | Permethrin: not rapidly biodegradable. |

12.3. Bioaccumulative potential

| Permethrin (52645-53-1) | |
|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 5.95 |
| Bioaccumulative potential | Permethrin: Bioconcentration factor (BCF) 300; Does not bioaccumulate. |

Precor Plus Fogger

Safety Data Sheet

12.4. Mobility in soil

(s)-Methoprene Technical (65733-16-6)

| | |
|------------------|---|
| Mobility in soil | Rapidly metabolized in soil under both aerobic and anaerobic conditions (half-life 10-14 days). |
|------------------|---|

Permethrin (52645-53-1)

| | |
|------------------|------------------------------|
| Mobility in soil | Permethrin: Immobile in soil |
|------------------|------------------------------|

12.5. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

| | UN number | Proper Shipping Name | Transport hazard class(es) | Packing group | Environmental hazards |
|-------------|-----------|---|----------------------------|----------------|------------------------|
| DOT | UN1950 | Aerosols, Flammable | 2.1 | Not applicable | Not applicable |
| IMDG | UN1950 | Aerosols, flammable (contains Permethrin) | 2.1 | Not applicable | Marine pollutant |
| IATA | UN1950 | Aerosols, flammable | 2.1 | Not applicable | Acute aquatic toxicity |

SECTION 15: Regulatory information

15.1. US Federal regulations

Permethrin (52645-53-1)

Subject to reporting requirements of United States SARA Section 313

| | |
|---------------------------------------|-----|
| SARA Section 313 - Emission Reporting | 1 % |
|---------------------------------------|-----|

Distillates (petroleum), hydrotreated light (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Propane (74-98-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Butane (106-97-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA Labelling

| | |
|-------------------------|----------|
| EPA Registration Number | 2724-454 |
|-------------------------|----------|

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

| | |
|------------------|---|
| FIFRA Pictograms |  |
|------------------|---|

| | |
|-------------------------|----------------|
| FIFRA Hazard statements | Caution |
|-------------------------|----------------|

| | |
|--------------------------------|--------------------------------|
| FIFRA Precautionary statements | KEEP OUT OF REACH OF CHILDREN. |
|--------------------------------|--------------------------------|

| | |
|--|---|
| FIFRA Hazards to Humans and Domestic Animals | USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Breathing spray mist may be harmful. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. If pet is exposed to wet surface, wash fur with soap and water. |
|--|---|

Precor Plus Fogger

Safety Data Sheet

| | |
|------------------------|---|
| FIFRA First aid | If on skin or clothing: Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Contact veterinarian if pets are exposed during application. Note to Physician/Veterinarian: Contains petroleum distillate. Vomiting may cause aspiration pneumonia. |
| FIFRA Physical hazards | EXTREMELY FLAMMABLE: Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "directions for use" on this label very carefully. |

15.2. US State regulations

No additional information available

SECTION 16: Other information

Issue date : 29 March 2016
Revision date : 05 April 2022

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.